

COMPARE FEATURES & PRICES.

*We adjust to your
business needs*



SAC
SPRAY ALLIANCE CONNECT

CitySPRAYER
by SPRAY ALLIANCE

COMPANY: **BASE CitySPRAYER MODEL**
CONTACT:
ADDRESS:
TEL #:
EMAIL:

5/1/2025**

\$43,810.00

SPECIFICATIONS		CITY SPRAYER 3.0 QUOTE	QTY
1	CitySPRAYER 3.0 FRAME COLOR	CITY SPRAYER 3.0 FRAME (RED)	1
2	GENERATOR (option) [1]	SHORE POWER ONLY	0
PROPORTIONING SYSTEM	3	PROPORTIONER	Proportioner, E20,R3,Std,7kW (26R310)
	4	HEATED SPRAY HOSE	150' Internally Heated Hose (25P434 + 25P435)
	5	HOSE WHIP	Hose,Whip, R3, 2000 psi, 10', XWRAP (25P775)
	6	SPRAY GUN [2]	FUSION AP GUN, 02 MIX CH, ROUND (246102)
	7	TRANSFER PUMPS(s) [3]	T3 Air Pumps (pair) (24Z834)
	8	DRUM RETURN TUBE KIT	DRUM RETURN TUBES INCLUDED
	9	HYDRAULIC HOSES (supply/return)	HYDRAULIC HOSES INCLUDED (supply/return)
10	AIR LINES	AIR LINES INCLUDED	1
POWER SYSTEM	11	ELECTRICAL PANEL/BREAKERS	ELECTRICAL PANEL/BREAKERS INCLUDED
	12	SHORE POWER HOOKUP	INCLUDED
	13	SHORE POWER CABLE	SHORE POWER CABLE 180'
	14	AIR COMPRESSOR	13CFM SCREW COMPRESSOR (18.5cfm @100psi)
	15	AIR DRYER	25CFM REFRIGERATED AIR DRYER
	16	OUTLETS	OUTLET
	17	LIGHTS	LIGHT
SAFETY EQUIPMENT & OPTIONS	18	PORTABLE EYE WASH	PORTABLE EYE WASH INCLUDED
	19	FIRE EXTINGUISHER	FIRE EXTINGUISHER INCLUDED
	20	TOOL BAG	TOOL BAG & BASIC TOOLS
	21	ADDITIONAL HOSE RACK	NONE
	22	SUPPLIED AIR SYSTEM (Recommended) [4]	NONE
	23	SUPPLIED AIR HOSE	NONE
	24	FRESH AIR MASK	NONE
	25	RECIRCULATION BLOCK	NONE
	26	AIR AGITATOR/MIXER [5]	NONE
	27	SET OF SPRAY FOAM (DEMO)	NONE

CUSTOM COMPONENT

CITY SPRAYER SUBTOTAL*

\$43,810.00

Sales Tax - TBD

\$0.00

Shipping Costs*

\$0.00

FINAL PRICE

\$43,810.00

50% Due Upon Signing | 50% Due Upon Completion

Accepted

Sign x _____ Date _____

CUSTOM ASSEMBLY
NOTES:

TOTAL AMP LOAD: 76 Amps

TOTAL CFM Demand: 13 CFM

SAC aims to provide quality components at a fair price. We only source components that will provide years of satisfaction, not what is cheapest. We don't want to just sell you once, we want you to be a customer for life!



*Does not include Sales tax or delivery costs. Unless otherwise listed, delivery costs are billed at \$1.50 per mile.

**Quote is valid for 60 days

Warranty: SAC provides a 90 day warranty on labor and assembly of components. Manufacturer's warranty applies to individual components.

[1] > Gas Generator Will Not Work with E30 Models. Pair Gas Generators Only with E20 Models.
> If Shore Power Only is Selected We Can't Be Responsible for Future Generator Compatibility.

[2] > We Do Not Recommend a Mixing Chamber Larger than a 5252.
> Larger Mixing Chambers Consume More Air and Require More Flow (which means more heating demand); System May Not Support Larger Mixing Chamber Sizes.

[3] > E1 Electric Transfer Pumps are Only Compatible with R3 Elite Models.

[4] > Supplied Breathing Air System Must Be Paired with E1 Electric Transfer Pumps to Work. Air Compressor Does Not Have Enough Air to Supply Both Transfer Pumps + Supplied Air System.

[5] > Agitator/Mixer Cannot be Run at Full Speed While Spraying. Full Speed Uses 12 CFM. CFM Demand Calculated only half speed (6 CFM).
> For Open-Cell Foam that Requires Agitation, Run Agitator at Full Speed for 15-30 Mins, then Turn Speed to Half-Speed or Lower While Spraying.

COMPANY: ELITE E-30-GRADE W/Generator CitySPRAYER MODEL
CONTACT:
ADDRESS:
TEL #:
EMAIL:

5/1/2025**

\$68,361.00

SPECIFICATIONS		CITY SPRAYER 3.0 QUOTE	QTY
	1 CitySPRAYER 3.0 FRAME COLOR	CITY SPRAYER 3.0 FRAME (RED)	1
	2 GENERATOR (option) [1]	PERKINS MINI 30KW DIESEL GENERATOR (122 Amps)	1
PROPORTIONING SYSTEM	3 PROPORTIONER	Proportioner E30,R3,Elite,15kW (26R332)	1
	4 HEATED SPRAY HOSE	200' Internally Heated Hose (25P435x2)	1
	5 HOSE WHIP	Hose,Whip, R3, 2000 psi, 20', XWRAP (25P776)	1
	6 SPRAY GUN [2]	FUSION PC GUN, ROUND 02 MIX CHAMBER (25P589)	1
	7 TRANSFER PUMPS(s) [3]	E1 Electric Pumps (pair) (26D004) - Requires R3 Elite	2
	8 DRUM RETURN TUBE KIT	DRUM RETURN TUBES INCLUDED	1
	9 HYDRAULIC HOSES (supply/return)	HYDRAULIC HOSES INCLUDED (supply/return)	1
	10 AIR LINES	AIR LINES INCLUDED	1
POWER SYSTEM	11 ELECTRICAL PANEL/BREAKERS	ELECTRICAL PANEL/BREAKERS INCLUDED	1
	12 SHORE POWER HOOKUP	INCLUDED	1
	13 SHORE POWER CABLE	SHORE POWER CABLE 180'	1
	14 AIR COMPRESSOR	13CFM SCREW COMPRESSOR (18.5cfm @100psi)	1
	15 AIR DRYER	25CFM REFRIGERATED AIR DRYER	1
	16 OUTLETS	OUTLET	1
	17 LIGHTS	LIGHT	1
SAFETY EQUIPMENT & OPTIONS	18 PORTABLE EYE WASH	PORTABLE EYE WASH INCLUDED	1
	19 FIRE EXTINGUISHER	FIRE EXTINGUISHER INCLUDED	1
	20 TOOL BAG	TOOL BAG & BASIC TOOLS	1
	21 ADDITIONAL HOSE RACK	NONE	0
	22 SUPPLIED AIR SYSTEM (Recommended) [4]	NONE	0
	23 SUPPLIED AIR HOSE	NONE	0
	24 FRESH AIR MASK	NONE	0
	25 RECIRCULATION BLOCK	NONE	0
	26 AIR AGITATOR/MIXER [5]	NONE	0
	27 SET OF SPRAY FOAM (DEMO)	NONE	0
CUSTOM COMPONENT			
CITY SPRAYER SUBTOTAL*		\$68,361.00	
Sales Tax - TBD		\$0.00	
Shipping Costs*		\$0.00	
FINAL PRICE		\$68,361.00	
		50% Due Upon Signing 50% Due Upon Completion	
Accepted Sign x _____ Date _____			
CUSTOM ASSEMBLY NOTES:			



TOTAL AMP LOAD: 142 Amps
TOTAL CFM Demand: 6 CFM

SAC aims to provide quality components at a fair price. We only source components that will provide years of satisfaction, not what is cheapest. We don't want to just sell you once, we want you to be a customer for life!

*Does not include Sales tax or delivery costs. Unless otherwise listed, delivery costs are billed at \$1.50 per mile.

**Quote is valid for 60 days

Warranty: SAC provides a 90 day warranty on labor and assembly of components. Manufacturer's warranty applies to individual components.

[1] > Gas Generator Will Not Work with E30 Models. Pair Gas Generators Only with E20 Models.
> If Shore Power Only is Selected We Can't Be Responsible for Future Generator Compatibility.

[2] > We Do Not Recommend a Mixing Chamber Larger than a 5252.
> Larger Mixing Chambers Consume More Air and Require More Flow (which means more heating demand); System May Not Support Larger Mixing Chamber Sizes.

[3] > E1 Electric Transfer Pumps are Only Compatible with R3 Elite Models.

[4] > Supplied Breathing Air System Must Be Paired with E1 Electric Transfer Pumps to Work. Air Compressor Does Not Have Enough Air to Supply Both Transfer Pumps + Supplied Air System.

[5] > Agitator/Mixer Cannot be Run at Full Speed While Spraying. Full Speed Uses 12 CFM. CFM Demand Calculated only half speed (6 CFM).
> For Open-Cell Foam that Requires Agitation, Run Agitator at Full Speed for 15-30 Mins, then Turn Speed to Half-Speed or Lower While Spraying.

COMPANY: **PRO-GRADE CitySPRAYER MODEL**

CONTACT:

ADDRESS:

TEL #:

EMAIL:

5/1/2025**

\$52,117.00

SPECIFICATIONS		CITY SPRAYER 3.0 QUOTE	QTY
	1 CitySPRAYER 3.0 FRAME COLOR	CITY SPRAYER 3.0 FRAME (RED)	1
	2 GENERATOR (option) [1]	SHORE POWER ONLY	0
PROPORTIONING SYSTEM	3 PROPORTIONER	Proportioner, E20,R3,Elite,10kW (26R312)	1
	4 HEATED SPRAY HOSE	200' Internally Heated Hose (25P435x2)	1
	5 HOSE WHIP	Hose,Whip, R3, 2000 psi, 20', XWRAP (25P776)	1
	6 SPRAY GUN [2]	FUSION PC GUN, ROUND 02 MIX CHAMBER (25P589)	1
	7 TRANSFER PUMPS(s) [3]	E1 Electric Pumps (pair) (26D004) - Requires R3 Elite	2
	8 DRUM RETURN TUBE KIT	DRUM RETURN TUBES INCLUDED	1
	9 HYDRAULIC HOSES (supply/return)	HYDRAULIC HOSES INCLUDED (supply/return)	1
	10 AIR LINES	AIR LINES INCLUDED	1
POWER SYSTEM	11 ELECTRICAL PANEL/BREAKERS	ELECTRICAL PANEL/BREAKERS INCLUDED	1
	12 SHORE POWER HOOKUP	INCLUDED	1
	13 SHORE POWER CABLE	SHORE POWER CABLE 180'	1
	14 AIR COMPRESSOR	13CFM SCREW COMPRESSOR (18.5cfm @100psi)	1
	15 AIR DRYER	25CFM REFRIGERATED AIR DRYER	1
	16 OUTLETS	OUTLET	1
	17 LIGHTS	LIGHT	1
SAFETY EQUIPMENT & OPTIONS	18 PORTABLE EYE WASH	PORTABLE EYE WASH INCLUDED	1
	19 FIRE EXTINGUISHER	FIRE EXTINGUISHER INCLUDED	1
	20 TOOL BAG	TOOL BAG & BASIC TOOLS	1
	21 ADDITIONAL HOSE RACK	NONE	0
	22 SUPPLIED AIR SYSTEM (Recommended) [4]	NONE	0
	23 SUPPLIED AIR HOSE	NONE	0
	24 FRESH AIR MASK	NONE	0
	25 RECIRCULATION BLOCK	NONE	0
	26 AIR AGITATOR/MIXER [5]	NONE	0
	27 SET OF SPRAY FOAM (DEMO)	NONE	0

CUSTOM COMPONENT

CITY SPRAYER SUBTOTAL*

\$52,117.00

Sales Tax - TBD

\$0.00

Shipping Costs*

\$0.00

FINAL PRICE

\$52,117.00

50% Due Upon Signing | 50% Due Upon Completion

Accepted

Sign x _____ Date _____

CUSTOM ASSEMBLY NOTES:

TOTAL AMP LOAD: 85 Amps

TOTAL CFM Demand: 6 CFM

SAC aims to provide quality components at a fair price. We only source components that will provide years of satisfaction, not what is cheapest. We don't want to just sell you once, we want you to be a customer for life!



*Does not include Sales tax or delivery costs. Unless otherwise listed, delivery costs are billed at \$1.50 per mile.

**Quote is valid for 60 days

Warranty: SAC provides a 90 day warranty on labor and assembly of components. Manufacturer's warranty applies to individual components.

[1] > Gas Generator Will Not Work with E30 Models. Pair Gas Generators Only with E20 Models.
> If Shore Power Only is Selected We Can't Be Responsible for Future Generator Compatibility.

[2] > We Do Not Recommend a Mixing Chamber Larger than a 5252.
> Larger Mixing Chambers Consume More Air and Require More Flow (which means more heating demand); System May Not Support Larger Mixing Chamber Sizes.

[3] > E1 Electric Transfer Pumps are Only Compatible with R3 Elite Models.

[4] > Supplied Breathing Air System Must Be Paired with E1 Electric Transfer Pumps to Work. Air Compressor Does Not Have Enough Air to Supply Both Transfer Pumps + Supplied Air System.

[5] > Agitator/Mixer Cannot be Run at Full Speed While Spraying. Full Speed Uses 12 CFM. CFM Demand Calculated only half speed (6 CFM).
> For Open-Cell Foam that Requires Agitation, Run Agitator at Full Speed for 15-30 Mins, then Turn Speed to Half-Speed or Lower While Spraying.